

Helping you get on with business



Workspace Systems is your partner for any Racking or Shelving fitout. Since 1994 we have been working with businesses and organisations to help them maximise and organise their space, with cost effective and quality solutions.

By sourcing products from a range of local and international suppliers and manufacturers, we can supply our customers with a multitude of quality products and storage solutions. We provide professional service and in-depth knowledge of the products that we sell.



Contents



Pallet racking 6 Rolled formed box beam HDG beam Frames 8 Pallet racking accessories 9 Pallet racking gallery 11 Cantilever racking 12 Light duty cantilever 13 Medium and heavy-duty cantilever 13 Longspan shelving 14 Gondola shelving 15 Galvanised rivet shelving 16 Rolled upright type (RUT) shelving 16 Work space workbenches 17

17

18

Racking & Shelving

Longspan workbenches

Shelving gallery

Mezzanine Floors & Barriers Mezzanine floors 19 Mezzanine floor gallery 20 Clamp style hand rail 21 Bollards 22 Steel mesh 22

| Office Storage | | |
|--------------------------------|----|--|
| Cabinets | 23 | |
| Lockers | 24 | |
| Parts Storage | | |
| Stackable parts bins | 25 | |
| Parts trays | 25 | |
| Parts bins for louvered panels | 26 | |
| Stackable & nestable crates | 26 | |
| Mobile parts trolley | 27 | |
| Louvered panels | 27 | |
| Materials Handling | | |
| Stackable stillages | 28 | |
| Stillage mesh cages | 28 | |
| Galvanised mesh cages | 29 | |
| Galvanised pallet wire cages | 29 | |
| Castor wheels | 30 | |
| Pallet jacks | 30 | |
| Gravity rollers | 31 | |



Tool Boxes

| Tool boxes | 32 |
|---|----|
| Under tray tool boxes | 33 |
| Tapered under tray tool boxes | 33 |
| Under tray drawer | 34 |
| Gullwing tool boxes | 34 |
| 705 series – steel half open tool boxes | 35 |
| 705 series – steel full open tool boxes | 35 |
| 705 series – steel mine boxes | 36 |
| 850 series – steel half open tool box | 36 |
| 850 series – steel mine boxes | 37 |
| 850 Series – SBS (Side by Side) 4 drawer tool box | 37 |
| 850 Series – steel full open tool box | 38 |
| 950 Series – 8 drawer steel mine boxes | 38 |
| 950 Series – steel mine boxes | 39 |
| 950 Series – steel four drawer tool boxes | 39 |
| 950 Series – steel full open tool boxes | 40 |
| 950 Series – truck boxes | 40 |
| 850 Series – cross tray boxes | 41 |
| Truck underbody tool boxes | 41 |
| Steel job site tool boxes | 42 |

Notes

Notes 43




Racking & Shelving





PALLET RACKING

Apex pallet racking has been designed and engineered in Australia and complies with Australian Standard 4084-2012. Selective pallet racking is the most common type of pallet racking used in Australia today, but there are many variations of pallet racking such as drive-in, narrow aisle, double deep, archive, cable, vertical, tyre and carpet rack, all of which can be constructed with Our Rack components.

3 HOOK CONNECTOR:







Roll formed box beam

Our roll formed box beams are designed to withstand a higher level of impact and retain their shape better than some other types of beam sections on the market. Our beams are powder coated in orange and use a simple, punched key-lock design connector with spring-locking safety clips.

| BEAM LENGTH | BOX SECTION | CONNECTOR |
|-------------|--|---|
| 1372mm | 80 × 40mm | 3 pin |
| 1524mm | 80 × 40mm | 3 pin |
| 1829mm | 80 × 40mm | 3 pin |
| 2134mm | 80 × 40mm | 3 pin |
| 2438mm | 80 × 40mm | 3 pin |
| 2591mm | 80 × 40mm 90 × 50mm 100 × 50mm 120 × 50mm 140 × 50mm | 3 pin 3 pin 3 pin 4 pin 4pin |
| 2743mm | 80 × 40mm 90 × 50mm 100 × 50mm 120 × 50mm 140 × 50mm | 3 pin 3 pin 3 pin 4 pin 4 pin |
| 3048mm | 120 × 50mm | 4 pin |
| 3353mm | 120 × 50mm | 4 pin |
| 3658mm | 140 × 50mm | 4 pin |
| 3810mm | 140 × 50mm | 4 pin |
| 4267mm | 140 × 50mm | 4 pin |
| 4877mm | 140 × 50mm | 4 pin |

3 HOOK CONNECTOR :







HDG beam

Our hot-dipped galvanised beams are made from a rectangular hollow section and are typically used for outdoor applications. The hot dipped galvanised surface treatment makes them more resistant to rust.

| BEAM LENGTH | BOX SECTION | CONNECTOR |
|-------------|---------------------------------------|-------------------------|
| 1372mm | 75 × 50mm | 3 pin |
| 2591mm | 75 × 50mm 100 × 50mm 125 × 50mm | 3 pin 3 pin 4 pin |
| 2743mm | 75 × 50mm 100 × 50mm 125 × 50mm | 3 pin 3 pin 4 pin |



Frames

Several frame grades are available depending on the load required; these are identifiable with a unique stamping code, which indicates the steel thickness and profile.

| FRAME HEIGHT | APEX SECTION | FRAME DEPTH |
|--------------|-----------------------|--------------------|
| 914mm | 90-15 | 610 / 838 / 1219mm |
| 1829mm | 90-15 | 610 / 838 / 1219mm |
| 2438mm | 90-15 | 610 / 838 / 1219mm |
| 3048mm | 90-15 | 610 / 838 / 1219mm |
| 3658mm | 90-15 | 610 / 838 / 1219mm |
| 4267mm | 90-15 / 90/20 | 610 / 838 / 1219mm |
| 4877mm | 90-15 / 90/20 | 610 / 838 / 1219mm |
| 6096mm | 90-15 / 90/20 / 90-25 | 610 / 838 / 1219mm |
| 7315mm | 90/20 / 90-25 | 610 / 838 / 1219mm |






Pallet Racking Accessories




Pallet Racking Accessories
























CANTILEVER RACKING


Cantilever racking is primarily used for storing long, awkward and oversized goods. This type of racking system provides maximum storage capability with easy accessibility. It is available in both single-sided and double-sided configurations. There are two surface coating options: powder coated for indoor applications and hot dipped galvanised for outdoor applications. Work space system cantilever systems are designed in accordance with FEM 10.2.09 The design of cantilever racking.

Typical storage applications include:

- Plywood/chipboard
- Timber
- Sheet metal
- Tubing
- Aluminium extrusion
- Furniture
- Structural members
 ...and much more











C200 Cantilever Racking

Also known as light duty cantilever racking, this racking is designed for lighter storage requirements. The arm ratings typically vary from 250kg/arm to 450kg/arm, depending on the arm length and configuration of the cantilever system.

| | POWDER COATED | GALVANISED |
|-------------------|--|--------------------------------------|
| Post Height | 2000mm 2400mm 3000mm 3600mm 4200mm | 2000mm 2400mm 3000mm 3600mm |
| Arm Length | 700mm 900mm 1200mm | 700mm 900mm |
| Bracing / Spacing | 900mm 1200mm 1500mm 1800mm | 900mm 1200mm 1500mm 1800mm |





Heavy Duty Cantilever Racking

This cantilever system utilises posts section sizes of either a C305, C350 and C410mm sections, and are a common storage solution for storing a variety of building & construction materials. Typically, the arms are rated to a capacity of 1000kg UDL, but this may vary depending on arm length and racking configuration. By offering a C305, C350 and C410 section sizes, we can cater for lower or higher loads in a single column, and so a safe cantilever system can be designed according to your needs and budget.

| | POWDER COATED | GALVANISED |
|-------------------|--|--|
| Post Height | 3048mm 3658mm 4267mm 4877mm 6096mm | 3048mm 3658mm 4267mm 4877mm 6096mm |
| Arm Length | 900mm 1200mm 1500mm | 900mm 1200mm |
| Bracing / Spacing | 900mm 1200mm 1500mm 1800mm 2100mm | 900mm 1200mm 1500mm 1800mm |





LONGSPAN SHELVING

Longspan shelving provides an inexpensive storage solution ideal for a range of applications such as box or archive storage, storerooms, parts storage, workshops and workbenches. Available in a variety of shelf types, chipboard and mesh deck is commonly used for general purpose applications and the steel galvanised deck is generally used for grocery applications, so spillages can be easily wiped clean.



| BEAM LENGTH | 900mm | 1200mm | 1500mm | 1800mm | 2100mm | 2400mm |
|---------------------|-----------------------------------|--------|--------|--------|--------|--------|
| EXTERNAL BAY LENGTH | 1020mm | 1320mm | 1620mm | 1920mm | 2220mm | 2520mm |
| LOADING PER LEVEL | 890kg | 660kg | 530kg | 450kg | 385kg | 300kg |
| FRAME HEIGHTS | 900 / 1000 / 2000 / 2400 / 3000mm | | | | | |
| BAY DEPTHS | 460 / 600 / 900 / 1200mm | | | | | |









GONDOLA SHELVING

Gondola shelving is widely used in retail settings such as grocery stores, supermarkets, chemists, hardware and discount stores. We have a multitude of hardware accessories to enhance your shelving, and it is available in single and double-sided configurations.



| BAY HEIGHT | 1500mm | 1800mm | 2100mm | 2400mm (using 300mm extension) | | |
|------------------------|---|---------------------------------------|--------|--------------------------------|--|--|
| BAY WIDTHS | | 900mm | | | | |
| RAISED SHELF DEPTHS | | 350 / 400 / 450mm | | | | |
| BASE SHELF DEPTH | 450mm | | | | | |
| CONFIGURATIONS | Single-sided / double sided / internal corner | | | | | |
| COLOUR | | White / black (black -Melbourne only) | | | | |













Galvanised rivet shelving

Galvanised rivet shelving is used for a variety of applications including box or archive storage, storerooms, parts storage and workshops. Its electro galvanised surface treatment makes it ideal for cool room shelving. Available in a variety of shelf types, the chipboard is commonly used for general purpose applications and the steel galvanised deck and mesh deck is generally used for grocery applications or cool rooms.

| BAY LENGTHS | 910mm | 1210mm | 1510mm | 1810mm | 2110mm | 2410mm |
|--------------|-----------------------------|--------|--------|--------|--------|--------|
| UDL LOADING | 270kg | 250kg | 220kg | 200kg | 180kg | 150kg |
| POST HEIGHTS | 1334 / 1829 / 2134 / 2438mm | | | | | |
| BAY DEPTHS | 430 / 570mm | | | | | |









Rolled upright type R.U.T

Rolled upright type (RUT) shelving is a simple, steel shelving system with modular bays which can have adjustable shelves. Each shelf will hold up to 80kg UDL (depending on the shelf size) and you can have as many adjustable shelves as you require, to a maximum bay loading of 800kg.

| BAY HEIGHT | | 2175mm | |
|------------|--------------------------------|--------|-------|
| BAY DEPTHS | 300mm | 400mm | 600mm |
| BAY WIDTH | 900 / 1200mm* (Melbourne only) | | |









Work space system rack workbenches

2-Tier work space rack workbench

| STANDARD BENCH LENGTH | 1372 / 2591 / 2743mm |
|-----------------------|---|
| BENCH EXTERNAL LENGTH | 1552 / 2770 / 2920mm |
| OTHER BENCH LENGTHS | Available in a wide range of lengths - See page 7. |
| BENCH HEIGHT | 920mm |
| DEPTH | 609 / 838mm |

4-Tier work space rack workbench

| STANDARD BENCH LENGTH | 1372 / 2591 / 2743mm |
|-----------------------|--|
| BENCH EXTERNAL LENGTH | 1552 / 2770 / 2920mm |
| OTHER BENCH LENGTHS | Available in a wide range of lengths – See page 7. |
| BENCH HEIGHT | 920mm |
| OVERALL HEIGHT | 1825mm |
| DEPTH | 838mm deep with 415 top shelves |

Longspan workbenches

2-Tier longspan workbench

| BENCH LENGTH | 900mm | 1200mm | 1500mm | 1800mm | 2100mm | 2400mm |
|-----------------------------|--------|--------|-----------|---------|--------|--------|
| BENCH EXTERNAL LENGTH | 1020mm | 1320mm | 1620mm | 1920mm | 2220mm | 2520mm |
| BENCH HEIGHT | 900mm | | | | | |
| DEPTH | | | 460 / 600 | / 900mm | | |





4-Tier longspan workbench

| BENCH LENGTH | 900mm | 1200mm | 1500mm | 1800mm | 2100mm | 2400mm |
|-----------------------------|-----------------------------------|--------|--------|--------|--------|--------|
| BENCH EXTERNAL LENGTH | 1020mm | 1320mm | 1620mm | 1920mm | 2220mm | 2520mm |
| BENCH HEIGHT | 900mm | | | | | |
| OVERALL HEIGHT | 2000mm | | | | | |
| DEPTH | 900mm deep with 460mm top shelves | | | | | |















Mezzanine





MEZZANINE FLOORS

Mezzanine floors, otherwise known as raised storage areas, are a cost-effective method of doubling your existing floor space. These can be constructed from our modular structural system or work space Rack pallet racking. All our mezzanine floors are designed to Australian standards and are fully customisable.

What we need to know to be able to design your Work space mezzanine floor:

- Length, depth and height
- Free-standing or attached to an existing structure
- Position of access gates, hand rails and stairs
- Floor loading requirements
- Other special requirements


















CLAMP STYLE HAND RAIL

Clamp style hand rail is durable, and uses a galvanised clamp system that allows for the construction of any hand rail or barrier system. This versatile system can be used for a variety of other applications such trolley bays, animal enclosures and playgrounds without the need for welding or fabricating custom structures.










Bollards

| MODEL | HR100 | HR105 | HR110 | HR115 |
|----------------|--------------|-------|-------------|--------|
| HEIGHT | 1000mm | | 1200mm | |
| DIAMETER | 120mm | | 160mm | |
| WALL THICKNESS | 3.5mm | | 5.25 | imm |
| FINISH | powder coat | HDG | powder coat | HDG |
| BASE SIZE | 210×210×10mm | | 250×250 | 0×10mm |





Steel mesh

| MESH APERTURE | 50 × 50mm |
|----------------|-------------------|
| WIRE THICKNESS | 3mm |
| SHEET SIZE | 2200 × 2800mm |
| FINISH | Electo-galvanised |

Office Storage





Cabinets

| MODEL | SOC046 | SOC048 |
|-------------------|---|-------------------------------|
| ТҮРЕ | 2 door cabinet | Mesh door cabinet |
| BAY LENGTH | 900W x 450D | x 1850mmH |
| NUMBER OF SHELVES | 4 adjustable | 5 adjustable |
| FINISH | powder coated grey | powder coated grey and yellow |
| CAPACITY | 50kg UDL per shelf | |
| FLAT PACK | flat packed – additional charge for assembly | |
| LOCK | Lock inbuilt into door and supplied with unique key | |

















Lockers

| MODEL | SOC010 | SOC011 | SOC012 |
|------------------------|--------------|---------------------|-------------|
| NUMBER OF DOORS | 1 | 2 | 4 |
| DOOR DIMENSIONS | 1675 × 325mm | 815 × 325mm | 390 × 325mm |
| SHELF | Yes | N | lo |
| HANGING ROD | Y | es | No |
| EXTERNAL DIMENSIONS | | 1800H x 450D x 380W | |



Parts Storage





SO0308N SO0310N

Stackable parts bins

| COLOUR | Blue | |
|-----------------|--|--|
| SIZE / MODEL | 212W x 370D x 175mmH 420W x 370D x 175mmH 200W x 450D x 175mmH 300W x 450D x 175mmH | SO0308N SO0310N SO0360 SO0370 |
| LABEL PROTECTOR | Include | ed |
| SIDE LOCKING | Bins lock together via | side bin channels |
| DIVIDERS | Available only for SO0308N & SO0310N and are sold separately | |
| HANGABLE | These bins can be hung on a standard louvered panel | |
| STACKABLE | Can be stacked with and v | without stacking pins |



SO0360



SO0370











Parts trays

| COLOUR | Blue | |
|-----------------|--|--|
| SIZE / MODEL | 117W x 400D x 90mmH 234W x 400D x 90mmH 234W x 400D x 140mmH 117W x 600D x 90mmH 234W x 600D x 90mmH 234W x 600D x 140mmH | SO04109 SO04209 SO04214 SO06109 SO06209 SO06214 |
| LABEL PROTECTOR | Included | d |
| DIVIDERS | Sold separa SO0D109 (for 117 SO0D209 (for 24: SO0D214 (for 243 | 'W x 90H) 3W x 90H) |







Parts bins for louvred panels

| COLOUR | SIZE | MODEL |
|--------|----------------------|--------|
| Grey | 105W x 110D x 52mmH | SO0201 |
| Yellow | 105W x 140D x 75mmH | SO0202 |
| Green | 105W x 190D x 75mmH | SO0203 |
| Blue | 140W x 220D x 125mmH | SO0204 |
| Red | 140W x 270D x 125mmH | SO0205 |

SOBAP10L

656L x 4250D x 32mmH

COLOUR

Black

Black

LID TYPE

Standard lid is optional

Optional security lid






Mobile parts trolley

The mobile parts trolley, otherwise known as a feeder trolley, is a double-sided parts bin storage unit set on lockable castors. It is ideal for storing and organising small parts such as nuts, bolts, fittings and other hardware. It is commonly sold as a unit with 116 bins of various sizes and colours: 16 grey, 32 yellow, 32 green, 12 blue and 24 red (as pictured).

| DIMENSIONS | 1585H x 970W x 600mmD |
|---|-------------------------------|
| HANDLES | One on each side of trolley |
| FIXED CASTORS | 2 |
| SWIVEL CASTORS WITH LOCK | 2 |
| QTY OF BINS (SEE PARTS BINS SECTION) | Various – Personal Preference |







Louvred Panels

| | ROLLED TYPE LOUVRE PANEL (SO0110) |
|--------------------------|--|
| WIDTH | 900mm |
| HEIGHT | 450mm |
| ACCESSORIES AVAILABLE | - Hooks available see instore - 900 × 200mm Shelf (SO0130) - Parts Bins See parts bins section |

| | SQUARE PUNCH PANEL (SO0120) |
|--------------------------|--|
| WIDTH | 900mm |
| HEIGHT | 450mm |
| ACCESSORIES AVAILABLE | - U-Hook (SO0125) - 50mm Hook (SO0126) - 100mm Hook (SO0127) - 900 × 200mm Shelf (SO0130) |

| | FLAT-TYPE LOUVRED PANEL |
|--------------------------|---|
| WIDTH | 455mm |
| HEIGHT | - 455mm (SO0111) - 610mm (SO0112) - 914mm (SO0114) - 1828mm (SO0115) |
| ACCESSORIES AVAILABLE | Hooks available - see instore |



Materials Handling



Stackable stillages

| MODEL | MH0100 | | |
|----------------------|---------------------------|--|--|
| EXTERNAL DIMENSION | 1200H x 1430W x 1060mmD | | |
| INTERNAL DIMENSION | 1010H x 1320W x 950mmD | | |
| LOAD CAPACITY | 1000kg | | |
| FINISH | Hot-dipped galvanised | | |
| COLLAPSIBLE | The 4 posts are removable | | |
| SAFE STACKING HEIGHT | 4 | | |





Stillage mesh cages











Galvanised mesh cage

| MODEL | MH0121 | |
|----------------------|---|--|
| DIMENSION | 1150W x 1150D x 890mmH | |
| FOLDED HEIGHT | 333mm | |
| LOAD CAPACITY | 1000kg | |
| COLLAPSIBLE | All sides can be collapsed for easy storage | |
| SAFE STACKING HEIGHT | 3 | |
| CONSTRUCTION | 100 × 50 – 6mm mesh | |
| RACKABLE | Can be put into standard 838/840mmD racking | |





Galvanised pallet wire cage

| MODEL | MH0115 | MH0116 | |
|-------------------|---|------------------------|--|
| DIMENSION | 1170L x 1170D x 800mmH | 1170L x 1170D x 400mmH | |
| COLLAPSIBLE | All sides can be collapsed for easy storage | | |
| CONSTRUCTION | 100 × 50 − 6mm mesh | | |
| PALLET ATTACHMENT | 6 lugs to encase a standard pallet | | |















Castor wheels

| MODEL | MH0050 | MH0051 | MH0052 | MH0053 | MH0054 | MH0056 |
|-------------------|------------------------|--------|---------|---|--------|-------------|
| WHEEL LOAD RATING | | 100kg | | 300kg | | |
| MOUNTING TYPE | M12 single thread bolt | M8 fo | ur bolt | M10 four bolt | | |
| SWIVEL OR FIXED | Swivel | | Fixed | Sw | rivel | Fixed |
| WHEEL LOCK | Yes | | No | | Yes | No |
| WHEEL MATERIAL | Polyurethane | | | Cast iron with polyurethane for the outer tread | | outer tread |
| WHEEL COLOUR | Blue | | | | Red | |
| DIAMETER OF WHEEL | 100mm | | | 125mm | | |
| WIDTH OF WHEEL | 30mm | | | | 50mm | |
| FRAME FINISH | | | zinc p | plated | | |



Pallet jacks

| PALLET TYPE | Standard Narrow | |
|----------------------------------|---------------------------|--|
| FORK DISTANCE INSIDE/ OUTSIDE | 365/685mm 230/550mm | |
| LIFTING CAPACITY | 2500kg | |
| LIFTING HEIGHT | 200mm to top of tine | |
| OPERATION | Raise/neutral/lower lever | |













Gravity rollers

| CONVEYER LENGTH | 1500 & 3000mmL | |
|---|--|--|
| ROLLER SIZE | 400 & 600mm | |
| РІТСН | 75 - 300mm | |
| WEIGHT LOADING FOR 3000MML SIDE STRUCTURE | When 2 support legs are used - 400kg UDL When 3 support legs are used -1000kg UDL | |
| WEIGHT LOADING FOR ROLLERS | 50kg UDL per 400mmL roller 40kg UDL per 600mmL roller | |
| BEARINGS | Steel | |
| ROLLER | Steel Galvanised Rollers | |
| FRAME | Blue powder coated | |
| ADJUSTABLE STANDS | 850 to 1000mm | |



Tool boxes



TOOL BOXES

We have a large range of ute tool boxes to suit any application. No matter what ute model or type you have, we will have a box for you. Our boxes are made with quality and durability in mind, incorporating durable drawer slides, stainless steel t-handles and rubber seals that are resistant to dust and weather. These boxes are the tradesperson's preferred choice.

Our range includes tool boxes for both under and above the tray, allowing the serious tradie to use space effectively. Our range also includes jobsite boxes, drawbar boxes and small generator boxes.











Under tray tool boxes

| MODEL | TB0030 / TB0040 | TB0042 / TB0043 | TBAO130 / TBAO135 |
|---------------|--|-----------------|-----------------------------|
| MOUNTING SIDE | Left / Right | | |
| COLOUR | Black White | | Aluminium smooth mill plate |
| DIMENSIONS | 660L/510L x 260D x 405mmH | | |
| DOOR OPENING | Door opens away from wheel, complete with rubber seals | | |
| WEIGHT | 15kg 9kg | | 9kg |
| CONSTRUCTION | 1.5mm steel 2mm aluminium | | 2mm aluminium |







Tapered under tray tool boxes

| MODEL | TB0050 / TB0052 | TB0055 / TB0057 | TBA0110 / TBA0112 |
|---------------|--|-----------------|-----------------------------|
| MOUNTING SIDE | | Left / Right | |
| COLOUR | Black | White | Aluminium smooth mill plate |
| DIMENSIONS | 750L x 260D x 405/260mmH | | |
| DOOR OPENING | Drop down door (hinged form bottom of box), complete with rubber seals | | |
| WEIGHT | 15kg 9kg | | 9kg |
| CONSTRUCTION | 1.5mm steel | | 2mm aluminium |





Under tray drawer

| MODEL | TBP0093 | TBP0094 |
|-----------------|---|----------|
| DIMENSIONS | 750/800W x 1500D x 175mmH | |
| WEIGHT | 78kg | 85kg |
| DRAWER CAPACITY | 50kg UDL | 40kg UDL |
| LOCKING POINTS | One stainless steel T-handle | |
| CONSTRUCTION | Aluminium front plate (800mm wide) & Galvanised steel body (750mm wide) | |





Gullwing tool boxes

| MODEL | TBG0010 |
|----------------|---|
| COLOUR | White |
| DIMENSIONS | 1730L x 500D x 430mmH |
| WEIGHT | 49kg |
| LOCKING POINTS | Two stainless steel T-handle (one on each door) |
| DOOR STYLE | Two gullwing type lids |
| CONSTRUCTION | 1.5mm powder coated steel |





705 series – steel half open tool boxes

| MODEL | TBP0161W | TBP0162W | TBP0163W |
|----------------|--|-----------------------|-----------------------|
| COLOUR | | White | |
| DIMENSIONS | 900L x 500D x 705mmH | 1220L x 500D x 705mmH | 1450L x 500D x 705mmH |
| WEIGHT | 45kg | 54kg | 63kg |
| LOCKING POINTS | One stainless steel t-Handle Two stainless steel t-Handles | | |
| DOOR STYLE | Half open | | |
| INTERNAL | 1 x internal removable shelf | | |
| CONSTRUCTION | 1.5mm powder coated steel | | |





705 series – steel full open tool boxes

| MODEL | TBP0176W | TBP0177W | TBP0178W |
|----------------|--|-----------------------|-----------------------|
| COLOUR | | White | |
| DIMENSIONS | 900L x 500D x 705mmH | 1220L x 500D x 705mmH | 1450L x 500D x 705mmH |
| WEIGHT | 49kg | 59kg | 69kg |
| LOCKING POINTS | One stainless steel t-Handle Two stainless steel t-Handles | | |
| DOOR STYLE | Full open | | |
| INTERNAL | 2 X internal removable shelves | | |
| CONSTRUCTION | 1.5mm powder coated steel | | |









705 series - steel mine boxes

| MODEL | TBP0180 | TBP0182 | | |
|-----------------|--|-----------------------|--|--|
| COLOUR | Wh | White | | |
| DIMENSIONS | 1220L x 500D x 705mmH | 1450L x 500D x 705mmH | | |
| WEIGHT | 79kg | 94kg | | |
| DRAWERS | Four internal half drawers | | | |
| DRAWER CAPACITY | 20kgs UDL | | | |
| SHELVES | Internal shelf the full width of the box, but separated in the centre | | | |
| LOCKING POINTS | Two stainless steel t-Handles on the front door and spring-loaded latches for the internal drawers | | | |
| DOOR STYLE | Full open | | | |





850 series - steel half open tool box

| MODEL | TBP0275 | TBP0280 | TBP0285 | TBP0290 | |
|-----------------|--|-----------------------|-----------------------|-----------------------|--|
| COLOUR | White | | | | |
| DIMENSIONS | 1000L x 616D x 850mmH | 1280L x 616D x 850mmH | 1565L x 616D x 850mmH | 1850L x 616D x 850mmH | |
| WEIGHT | 60kg | 73kg | 83kg | 95kg | |
| LOCKING POINTS | One stainless steel T-handle Two stainless steel T-handle per door | | | | |
| DOOR STYLE | Half open | | | | |
| INTERNAL | 1 x Internal removable shelf | | | | |
| CONSTRUCTION | 1.5mm power coated steel | | | | |
| FORK ENTRY BARS | Three 50 × 50mm bars with anchor points | | | | |







850 series – steel mine boxes

| MODEL | TBP0186 | TBP0188 | TBP0190 | TBP0192 |
|-----------------|---|-----------------------|-----------------------|-----------------------|
| COLOUR | White | | | |
| DIMENSIONS | 1000L x 616D x 850mmH | 1280L x 616D x 850mmH | 1565L x 616D x 850mmH | 1850L x 616D x 850mmH |
| WEIGHT | 99kg | 103kg | 115kg | 147kg |
| DRAWERS | Four internal half drawers | | | |
| DRAWER CAPACITY | 20kgs UDL | | | |
| SHELVES | Internal shelf the full width of the box, but separated in the centre | | | |
| LOCKING POINTS | One stainless steel t-Handle on the front door and spring-loaded latches for the internal drawers Two stainless steel t-Handles on the front door and spring-loaded latches for the internal drawers | | | |
| DOOR STYLE | Full open | | | |
| CONSTRUCTION | 1.5mm powder coated steel | | | |
| FORK ENTRY BARS | Three 50×50mm bars with anchor points | | | |







850 Series - SBS (Side by Side) 4 Drawer

| MODEL | TBP0250 | TBP0255 | TBP0260 | TBP0265 |
|------------------|--|-----------------------|-----------------------|-----------------------|
| COLOUR | | White | | |
| DIMENSIONS | 1000L x 616D x 850mmH | 1280L x 616D x 850mmH | 1565L x 616D x 850mmH | 1850L x 616D x 850mmH |
| WEIGHT | 95kg | 113kg | 129kg | 142kg |
| DRAWERS | | Four internal | half drawers | |
| DRAWER CAPACITY | 20kgs | | | |
| LOCKING POINTS | One stainless steel T-handle for the 1000mmL box Two stainless steel T-handles for the 1280, 1565, and 1850mm box | | | |
| ADJUSTABLE SHELF | YES | | | |
| DOOR STYLE | Fu ll open | | | |
| CONSTRUCTION | 1.5mm Powder coated steel | | | |
| FORK ENTRY BARS | | Three 50×50mm bar | rs with anchor points | |





850 series - steel full open tool boxes

| MODEL | TBP0200 | TBP0205 | TBP0210 | TBP0215 | |
|-----------------|--|-----------------------|-----------------------|-----------------------|--|
| COLOUR | | White | | | |
| DIMENSIONS | 1000L x 616D x 850mmH | 1280L x 616D x 850mmH | 1565L x 616D x 850mmH | 1850L x 616D x 850mmH | |
| WEIGHT | 63kg | 77kg | 90kg | 103kg | |
| LOCKING POINTS | One stainless steel T-handle for the 1000mmL box Two stainless steel T-handles for the 1280, 1565, and 1850mm box | | | | |
| DOOR STYLE | Full open | | | | |
| CONSTRUCTION | 1.5mm Powder coated steel | | | | |
| FORK ENTRY BARS | Three 50×50mm bars with anchor points | | | | |





950 series - 8 drawer steel mine boxes

| MODEL | TBN0680 | TBN0690 | | |
|-----------------|--|--|--|--|
| COLOUR | W | White | | |
| DIMENSIONS | 1280L x 616D x 950mmH | 1565Lx 616D x 950mmH | | |
| WEIGHT | 152kg | 175kg | | |
| DRAWERS | Eight interna | Eight internal half drawers | | |
| DRAWER CAPACITY | 20 | 20kgs | | |
| LOCKING POINTS | One stainless steel T-handle for the 1000mmL box | Two stainless steel T-handles for the 1280, 1565, and 1850mm box | | |
| DOOR STYLE | Full | Full open | | |
| CONSTRUCTION | 1.5mm Powd | 1.5mm Powder coated steel | | |
| FORK ENTRY BARS | Three 50×50mm ba | rs with anchor points | | |







950 series – steel mine boxes

| MODEL | TBN0610 | TBN0620 | TBN0630 | | |
|-----------------|-------------------------|--|-----------------------|--|--|
| COLOUR | | White | | | |
| DIMENSIONS | 1280L x 616D x 950mmH | 1565L x 616D x 950mmH | 1850L x 616D x 950mmH | | |
| WEIGHT | 115kg | 132kg | 162kg | | |
| DRAWERS | | Four internal half drawers | | | |
| DRAWER CAPACITY | | 20kgs UDL | | | |
| SHELVES | Interna | Internal shelf the full width of the box, but separated in the centre | | | |
| LOCKING POINTS | Two stainless steel t-H | Two stainless steel t-Handles on the front door and spring-loaded latches for the internal drawers | | | |
| DOOR STYLE | | Full open | | | |
| CONSTRUCTION | | 1.5mm powder coated steel | | | |
| FORK ENTRY BARS | | Three 50×50mm bars with anchor points | | | |







950 series – steel four drawer tool boxes

| MODEL | TBN0420 | TBN0450 | | |
|-----------------|--|---------------------|--|--|
| COLOUR | WH | White | | |
| DIMENSIONS | 1565L x 616D x 950H | 1850L x 616D x 950H | | |
| WEIGHT | 161kg | 176kg | | |
| DRAWERS | Four fully sealed half-length drawers with heavy duty sliders | | | |
| DRAWER CAPACITY | 40kgs UDL | | | |
| LOCKING POINTS | Two stainless steel t-Handles on the front door and heavy duty drop pins for the drawers | | | |
| DOOR STYLE | Half open | | | |
| INTERNAL | One internal removable shelf | | | |
| CONSTRUCTION | 1.5mm powder coated steel | | | |
| FORK ENTRY BARS | Three 50×50mm bars with anchor points | | | |







950 series – steel full open tool boxes

| MODEL | TBN0145 | TBN0155 | TBN0165 | TBN0175 |
|-----------------|--|-----------------------|-----------------------|-----------------------|
| COLOUR | White | | | |
| DIMENSIONS | 1000L x 616D x 950mmH | 1280L x 616D x 950mmH | 1565L x 616D x 950mmH | 1850L x 616D x 950mmH |
| WEIGHT | 69kg | 79kg | 88kg | 100kg |
| LOCKING POINTS | One stainless steel t-Handle Two stainless steel t-Handles | | | |
| DOOR STYLE | Full open | | | |
| INTERNAL | One internal removable shelf | | | |
| CONSTRUCTION | 1.5mm powder coated steel | | | |
| FORK ENTRY BARS | Three 50×50mm bars with anchor points | | | |





950 series - truck boxes

| MODEL | TBP0100 TBP0105 | | | |
|-----------------|--|-----------------------|--|--|
| COLOUR | W | White | | |
| DIMENSIONS | 1280L x 616D x 950mmH | 1565L x 616D x 950mmH | | |
| WEIGHT | 97kg | 112kg | | |
| LOCKING POINTS | Two stainless steel t-Handles | | | |
| DOOR STYLE | Full open | | | |
| INTERNAL | Vertically partitioned in the middle with two half-length shelves that can be adjusted in height | | | |
| CONSTRUCTION | 1.5mm powder coated steel | | | |
| FORK ENTRY BARS | Three 50×50mm bars with anchor points | | | |



850 series – cross tray boxes

| MODEL | TBC0010 | TBC0016 | TBC0015 | TBC0017 | TBC0020 | TBC0025 |
|-----------------|---------------------------------------|--|---------------------------------------|------------|---------------------------|---------------------------|
| COLOUR | White | Black | White | Black | White | Black |
| DIMENSIONS | 1770L x 700[| 1770L x 700D x 850mmH 1770L x 1200D x 850mmH | |) x 850mmH | 1770L x 1500D x 850mmH | 1770L x 1800D x 850mmH |
| WEIGHT | 106kg | | 146kg | | 183kg | 205kg |
| LOCKING POINTS | One stainless steel T-handle per door | | Two stainless steel T-handle per door | | | |
| DOOR STYLE | Full open | | | | | |
| INTERNAL | Full open space internally | | | | | |
| CONSTRUCTION | 1.5mm powder coated steel | | | | | |
| FORK ENTRY BARS | Three 50×50mm bar | s with anchor points | | | | |



Truck underbody tool boxes

| MODEL | TBP0157 | TBP0158 | TBP0097 | | |
|----------------|---|--|------------------------------|--|--|
| COLOUR | Black | | | | |
| DIMENSIONS | 1000L x 500D x 500mmH | 1000L x 500D x 500mmH | 600L x 450D x 450mmH | | |
| WEIGHT | 28kg | | 20kg | | |
| LOCKING POINTS | Two stainless steel t-handles | | One stainless steel t-handle | | |
| DOOR STYLE | One fully opening front door | Two fully opening front doors | One fully opening front door | | |
| DOOR LANCE | Stainless steel lance to support door when fully open | | | | |
| INTERNAL | Fully open internal space | Each side is separated with a vertical divider and comes with one internal shelf | Fully open internal space | | |
| CONSTRUCTION | 1.5mm powder coated steel | | | | |







Steel job site tool boxes

| MODEL | TB0095 | TB0099 | | |
|----------------|---|--------|--|--|
| COLOUR | Yellow | Grey | | |
| SIZE (INCHES) | 48" | | | |
| DIMENSIONS | 1220L x 622D x 711mmH | | | |
| WEIGHT | 63kg | | | |
| LOCKING POINTS | Two locking points (padlock not included) | | | |
| DOOR STYLE | One fully opening door | | | |
| CONSTRUCTION | 1.5mm steel | | | |

Notes





HELPING YOU GET ON WITH BUSINESS

165 Macleod Street, Bairnsdale VIC 3875

+61 3 5153 1114
info@workspacesystems.com.au
workspacesystems.com.au